Aquarius Hard



Date of issue / Reference 09.05.2005 hot Replaces version of 05.10.2001

Date of printing 09.05.2005 **Sheet No. 1411**

Page 1 of 5

Company Ivoclar Vivadent AG, Bendererstrasse 2, FL - 9494 Schaan Principality of Liechtenstein

1 Commercial product name and supplier

1.1 Commercial product name / Aquarius Hard
Designation

1.2 Application / Use Ceramic alloy

1.3 Producer Ivoclar Vivadent, Inc.

175 Pineview Drive, Amherst NY 14228, USA

1.4 Supplier

1.5 TOX emergency number Emergency-Call USA: (716) 691-0010

Emergency-Call LI: +423 / 235 35 35 or 373 40 40

2 Composition

2.1 Chemical characterization Dental alloy made of :

Au 86.1 % (CAS-Nr. 7440-57-5), Pt 8.5 % (7440-06-4), Pd 2.6 % (7440-05-3), In 1.4 % (7440-74-6), < 1.0 % Ru, Ta, Fe, Li

2.2 Hazardous components

2.3 Further information None.

3 Hazards identification Avoid breathing of grinding dust and vapours.

Melted material may cause burns.

4 First aid measures

4.1 Eye contact Flush eyes with plenty of water. Call a physician if irritation persists.

4.2 Skin contact Melted material presents a special hazard of deep thermal burns. If

burn occurs, treat as any thermal burn.

4.3 Ingestion Call a physician immediately.

4.4 Inhalation Remove to fresh air.

4.5 Further information None.

5 Fire-fighting measures

5.1 Suitable extinguishing media Not required. not combustible

5.2 Extinguishing media to avoid Do not use direct water stream.

EU Safety Data Sheet Date of issue / Reference Replaces version of		Aquarius Hard		ivoclar	
		09.05.2005	hot	vivadeni	
		05.10.2001	GI 431 4444		
5.3	of printing Further information	09.05.2005 None.	Sheet No. 1411	Page 2 of 5	
	Turner miormation	T (offer			
6	Accidental release measures	Clean up mechanically. Clean and reuse			
7	Handling and storage				
7.1	Handling	Only adequately trained personnel should handle this product. Keep out of reach of children.			
7.2	Industrial hygiene	Usual hygienic measures for dental practice.			
7.3	Storage	No specific requirements.			
7.4	Place of storage				
7.5	Fire- and explosion-protection	No specific requirements.			
8	Exposure controls / Personal prot	ection			
8.1	Technical measures	Provide adequate local ventilation. Control airborne concentration below the exposure guideline.			
8.2	Control of threshold limits	Dust and vapors: MAK 0.1 mg/m³			
8.3	Personal protective equipment				
8.3.1	Respiratory protection	If metal fumes are present, use an approved high-efficiency particulate respirator (P3). In dusty atmospheres, use an approved dust respirator P2.			
8.3.2	Hand protection	Gloves.			
8.3.3	Eye protection	Safety goggles.			
8.3.4	Other	Use only with	adequate ventilation.		
9	Physical and chemical properties				
	Appearance	solid			
	Colour	yellow			
	Odour	odourless			
9.4	Change of physical state			Test method:	
···	0 1 7				

9.4 Change of physical state

Melting range
Casting temperature

9.5 Density

18.5 g/cm³ (20°C)

9.6 Vapour pressure

not applicable

9.7 Viscosity

Temperature

1050-1145 °C 1920-2095 °F
1200-1260 °C 2195-2300 °F

18.5 g/cm³ (20°C)

18.5 g/cm³ (20°C)

Aquarius Hard



Date of issue / Reference	09.05.2005	hot	vivaaeni.
Replaces version of	05.10.2001		
Date of printing	09.05.2005	Sheet No. 1411	Page 3 of 5

9.8 Solubility

Solubility in

non soluble

9.9 pH not applicable

9.10 Flash point

not applicable

9.11 Ignition temperature

not applicable

9.12 Explosion limits Lower:

Upper:

not applicable

9.13 Further information Complies with ISO 9693

10 Stability and reactivity

10.1 Thermal decomposition None, if used in accordance to instructions.

10.2 Hazardous decomposition products None, if used in accordance to instructions.

10.3 Hazardous reactions None, if used in accordance to instructions.

10.4 Further information None.

11 Toxicological information

11.1 Acute toxicity Alloy: non-cytotoxic, non-mutagenic, non-irritant, non-sensitizer

11.2 Subacute / Chronic toxicity Fumes or dusts generated from cutting or grinding operations may

cause respiratory irritation.

11.3 Further information None.

12 Ecological information No ecological problems to be anticipated if properly handled and

used.

nearly insoluble

13 Disposal considerations Recycling

13.1 EU waste key 17 04 07

14 Transport information

15.11 Further information

Aquarius Hard



Date of issue / Reference 09.05.2005 hot Replaces version of 05.10.2001

Date of printing 09.05.2005 **Sheet No. 1411**

Page 4 of 5

UN Number Kemler Number Packing Group Proper shipping name 14.2 Transport at sea **ADNR IMDG** UN Number **EMS MFAG** Packing Group Proper shipping name ICAO / IATA-DGR 14.3 Air transport **UN** Number Proper shipping name Subsidiary Risk Labels Packing Group Passenger airplane **Packing Instructions** max. Cargo Airplane **Packing Instructions** max. 14.4 Further information Product is not classified for any mode of transportation. This product does not require classification according to the 15 **Regulatory information** criteria of the EC. The product is a medical device according to the EC-directive 93/42. 15.1 UN number 15.2 National regulations 15.3 EU number 15.4 Hazard symbols 15.5 Hazard designation 15.6 Risk phrases 15.7 Safety phrases 15.8 MAK value $0.1 \text{ mg/m}^3 \text{ ml/m}^3 \text{ (ppm)}$ 15.9 BVD classification (CH) 15.10 VbF (D)

None.

Aquarius Hard



Date of issue / Reference 09.05.2005 hot Replaces version of 05.10.2001

Date of printing 09.05.2005 **Sheet No. 1411** Page 5 of 5

16 Other information Version: 3

Changes: 13.1

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications do not have the meaning of guarantees on properties.

This safety data sheet has been generated with the safety database 'ChemManager', © ASSiST Applied Software Solutions in Science and Technology AG, Weiherweg 3, CH-4104 Oberwil, Switzerland

91/155/EEC